

V246HQL

Part Number: UM.UV6AA.003

Technical Information

Number of Screens

1

Viewable Screen Size

23.6"

Screen Mode

Full HD

Panel Technology

Vertical Alignment (VA)

Response Time

5 ms GTG

Aspect Ratio

16:9

Pixel Pitch

10.7 mil

Adjustable Display Pivot

No

Mount Type

Wall Mountable

Backlight Technology

LED

Maximum Adjustable Height

No

Horizontal Frequency

30 kHz to 80 kHz

Vertical Frequency

55 Hz to 75 Hz

Video

Maximum Resolution

1920 x 1080

Standard Refresh Rate

60 Hz

Color Supported

16.7 Million Colors

Color Depth

6-bit+Hi-FRC

Native Contrast Ratio

3,000:1

Dynamic Contrast Ratio

100,000,000:1

Brightness

250 Nit

Color Gamut

72% NTSC

Interfaces/Ports

HDMI

Yes

VGA

Yes

Number of HDMI Inputs

1

Power Description

Input Voltage

120 V AC

Input Voltage

230 V AC

Standby Power Consumption

450 mW

Off-Mode Power Consumption

350 mW

Operating Power Consumption (Energy Star)

20.30 W

Physical Characteristics

VESA Mount Compatible

Yes

VESA Mount Standard

100 x 100

Color

Black

Height

13.2"

Width

22.3"

Depth

2.4"

Height with Stand

16.58"

Width with Stand

22.32"

Depth with Stand

8.14"

Weight (Approximate)

7.65 lb

Weight with Stand (Approximate)

8.64 lb

Miscellaneous

Package Contents

V246HQL Widescreen LCD Monitor

Power Cord

1 x VGA Cable

Environmentally Friendly

Yes

Environmental Certification

TCO Certified

Country of Origin

China

TCO Certified

Yes

Warranty

Limited Warranty

3 Year