



Setup Sheet: GP-200  
Version 1.0



24" Professional Graphics  
Inkjet Printer

## REIMAGINE THE WAY YOU PRINT.

### TECHNICAL SPECIFICATIONS

#### PRINT

##### Printing Technology

FINE: Full-Photolithography Inkjet Nozzle Engineering

##### Head Configuration

6-Channel Integrated Type

##### Nozzle Configuration

2,560 Nozzles x 6 Channels, Total: 15,360

##### Droplet Size

Minimum 5 Picoliters per Color

##### Maximum Print Resolution<sup>1</sup>

Up to 2400 x 1200 dpi

##### Ink Information

Type: Pigment Based Ink Technology

PFI-120 (130 ml): MBK, BK, C, M, Y, FP

PFI-320 (300 ml): MBK, BK, C, M, Y, FP

#### MEDIA

##### Media Handling

Front-Loading Automatic Roll Feed: One Roll, Upper-loading, Front Output

##### Media Width

8" - 24" (Cut-Sheet and Roll)

##### Minimum Print Length

8"

##### Maximum Print Length (Single Page)<sup>2</sup>

Roll Feed: 59' (18 m)

##### Borderless Printing Widths (Roll Media Only)

No Size Restriction - 10"/14"/17"/24" + Micro Margin

##### Media Thickness

0.07 mm - 0.8 mm

##### Media Core Sizes

2" or 3" Core (with supplied adaptor)

##### Printable Margins

Roll Paper: Top: 3 mm; Bottom: 3 mm; Side: 3 mm

Borderless: Top: 0mm; Bottom: 0mm; Sides: 0mm

Cut-Sheet: Top: 3 mm; Bottom: 20 mm; Side: 3 mm

## GENERAL

### General Features

24" Wide Printer with Stand, 6 Individual Ink Tanks, PF-07 Print Head (1), World's first PANTONE-Calibrated printers for PANTONE pastels & neons guide coated

### Printer Memory

2 GB (Standard)

### Hard Disk Capacity

500 GB

### Display

3" Color LCD Touch-screen

### Acoustic Noise

Operation approx. 49 dB (A) (Plain paper, poster, standard mode)

Standby: 35 dB (A) or less

(Measured on ISO7779 standard)

### Power Supply

AC 100–240 V (50-60 Hz)

### Power Consumption

71 W or less

2.0 W or less (Wired LAN connected)

0.3 W or Less (Executive Order Compliant)

Powered off: 0.3W or less

### Environmental Certifications

ENERGY STAR® (Worldwide)

### Operational Environment Temperature

59° – 86° F (15° – 30° C)

## PROFESSIONAL SERVICE AND SUPPORT

- Toll-free, 100% U.S.-based technical support: 1-800-423-2366
- imagePROGRAF trained technical support specialists are available to assist you Monday – Friday, 8:00 a.m. - 8:00 p.m. (EST) and Saturday, 10:00 a.m. - 7:00 p.m. (EST), excluding holidays.

## INTERFACES

USB Port Built-in High Speed

Ethernet: IEEE 802.3 10base-T, IEEE 802.3u 100base-TX / Auto-Negotiation, IEEE 802.3ab 1000base-T / Auto-Negotiation, IEEE 802.3x Full Duplex

## OS COMPATIBILITY

Computer Operating Systems:

32-bit: 7/8/8.1/10

64-bit: 7/8/8.1/10, Windows Server 2008R2 , Windows Server 2012/2012R2

Windows Server 2016 , Windows Server 2019

macOS 10.9.x~11.y.x

## SOFTWARE<sup>3</sup> (MAC/WINDOWS AVAILABLE)

Free Layout Plus (PC Only)

Accounting Manager

Media Configuration Tool

Direct Print Plus (PC Only)

Device Management Console

Quick Utility Toolbox

Easy-PhotoPrint Editor

## Printer Languages

SGRaster, HP-GL/2, HP RTL, PDF, JPEG

**BOX CONTENTS**

imagePROGRAF GP-200  
 Catch Basket  
 Stand  
 2"/3" Core Media Spool (Adaptors Included)  
 US AC Power Cable  
 Tools and Screws  
 Print Head PF-07  
 Maintenance Cartridge (Installed)  
 6 Ink Tanks (90 ml: FP/C/M/Y/BK/MBK)  
 Sample Heavyweight Coated Paper (A2/2 Sheets)  
 iWR Service Terms Leaflet  
 User Manual  
 Quick Setup Guide  
 User Software CD for Windows (Printer Driver Utilities)  
 PosterArtist Lite CD  
 User Registration Card  
 Warranty Sheet  
 Media Guide

**WARRANTY<sup>4</sup>**

One-Year Limited Warranty

**ORDERING INFORMATION**

MODEL NUMBER		DESCRIPTION		ITEM NUMBER	MSRP
imagePROGRAF GP-200		24" Graphics Inkjet Printer		5249C002AA	\$3,295
<b>COMPATIBLE INKS</b>					
PFI-120	MBK	Matte Black - Pigment Ink Tank 130ml		2884C001AA	\$77
PFI-120	BK	Black - Pigment Ink Tank 130ml		2885C001AA	\$77
PFI-120	C	Cyan - Pigment Ink Tank 130 ml		2886C001AA	\$77
PFI-120	M	Magenta - Pigment Ink Tank 130ml		2887C001AA	\$77
PFI-120	Y	Yellow - Pigment Ink Tank 130ml		2888C001AA	\$77
PFI-120	FP	Fluorescent Pink - Pigment Ink Tank 130ml		3499C001AA	\$85
PFI-320	MBK	Matte Black - Pigment Ink Tank 300ml		2889C001AA	\$139
PFI-320	BK	Black - Pigment Ink Tank 300ml		2890C001AA	\$139
PFI-320	C	Cyan - Pigment Ink Tank 300 ml		2891C001AA	\$139
PFI-320	M	Magenta - Pigment Ink Tank 300ml		2892C001AA	\$139
PFI-320	Y	Yellow - Pigment Ink Tank 300ml		2893C001AA	\$139
PFI-320	FP	Fluorscent Pink - Pigment Ink Tank 300ml		3500C001AA	\$153
<b>ACCESSORIES</b>					
MC-31		Maintenance Cartridge		1156C005AB	\$75
CT-08		Cutter Blade		1155C002AA	\$93
RH2-28		Roll Holder (2" core w/3" adaptors)		1153C005AA	\$151
Service					
Please contact your Account Exective to see which Service and eCarePAK best fits your needs.					

**Origin**

Country of Origin Thailand  
Tariff Number 8443321040

**Printer Dimensions -unboxed**

Printer Dimensions 38.6 (W) x 29.8 (D) x 41.7 (H) in (Basket Closed)  
Printer Weight 110 LBS

**Packaged Consumable Dimensions**

<b>Model</b>	<b>Quantity</b>	<b>Weight (lb.)</b>	<b>Dimensions (H x W x D)</b>
PFI-120	1	.5 lbs	(5 x 3.5 x 1.5 in)
PFI-320	1	.5 lbs	(7.5 x 4 x 1.5 in)
MC-31	1	2 lbs	(2.5 x 8.5 x 13 in)
CT-08	1	0.2 lbs	(2 x 2.6 x 4.6 in)
RH2-28	1	6.8	(10 x 8.5 x 41.5)

**Packaged Printer Dimensions**

Number of Boxes per Pallet 1  
Dimensions 45.4 x 36 x 37.8 in  
Weight 185.2 lb

**AVAILABILITY DATE**

10/1/2021

- 1 Ink droplets can be placed with a pitch of 1/2400 inch at minimum. Results may vary depending on printer driver settings.
- 2 The maximum printable length varies, depending on the application, OS, and RIP used.
- 3 Internet connection required during software installation.
- 4 Optional Canon eCarePAK Extended Service Plan is available to support your needs. For more information, call 1-800-423-2366
- 5 Unit of measure for all items is EA.

[USA.CANON.COM/LARGEFORMAT](http://USA.CANON.COM/LARGEFORMAT)

